

	Function	WV-X8570N/S8530N	WV-X6533LN/S6532LN	WV-X6531N/X6531NS/X6511N	WV-SUD638	WV-S6530N	WV-S6131/S6111/S6130	WV-X4171/M4571L/M4571LM	WV-X4170	WV-S4550L/S4550LM/S4150	WV-SFV481/SF480*7	WV-SW458/SW458MA/SF438/SF448E*7	WV-SFV781L/S3271L/S11711L	WV-S2570L/S2270L/S1570L	WV-SFV781L/SFV781L	WV-X3281L	WV-S1550L	
WJ-NV400 (V4.30) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*19	yes*19	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *8	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V4.30) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes*19	yes*19	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	-	-	yes	yes	
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *8	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes*19	yes*19	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	-	-	yes	yes	
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *8	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
(Discontinued model)	MJPEG	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	-	[SFV781/SPV781]*22,*24	-	-	-	
	H.265	-	no	no	no	no	no	-	-	-	-	-	-	no	-	-	no	
	Audio *8	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	[SFV781/SPV781]	yes	yes	yes	
	PTZ	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	
	Motion detection (VMD)	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	[SFV781/SPV781]	yes	yes	yes	
WJ-NV200 (V2.60) *14	MJPEG	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	no*13	yes	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	[SW598]*21*22	[SW598]*21*22	[SW598]	[SW598]	[SW598]*21*22	[SW598]*21*22	[SW598]	[SW598]	no*13	yes	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	no*13	yes	-	-	-	-	-	
	PTZ	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	-	yes	-	-	-	-	-	
	Motion detection (VMD)	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	no*13	yes	-	-	-	-	-	
WJ-ND400K (V6.10) *14	MJPEG	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes*15	yes	-	[SFV781/SPV781]	yes	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	[X6531/S6530]	yes	yes	yes	yes	yes	yes	yes	yes*15,*18,*19	yes*18	-	[SFV781/SPV781]*15,*19	yes*15,*19	-	yes	
	H.265	-	no	no	no	no	no	-	-	-	-	-	-	no	-	-	no	
	Audio *8	-	yes	yes	yes	yes	yes	yes	-	yes	yes*15	yes	-	[SFV781/SPV781]	yes	-	yes	
	PTZ	-	yes	yes	yes	yes	yes	yes	-	yes	yes*15	yes	-	-	-	-	-	
	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes*15	yes	-	[SFV781/SPV781]	yes	-	yes	
WJ-ND300A (V5.20) *4,*14	MJPEG	-	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	
	Motion detection (VMD)	-	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	
WJ-ND200 (V3.35) *4,*14	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	-	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	
	PTZ	-	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	
	Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ camera.
 *2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireless connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different dependo on the "Imaage capture mode". For details on "Imaage capture mode", please refer to the operatino instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SF480 with WJ-NV200, recording stoo for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SFV781L, SPV781L, SFV481, SF480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the managaement software/WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Runout less than 178h777 for WV-X6511N
 *22 : Transmission format must be switched from H.265/Partve default#1 to H.264 by connecting from web browser
 *23 : Supported G.726 32kbps and AAC-LC 64kbps
 *24 : Supported image capture sizes are 4K UHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).

	Function	WV-S1531LN/S1531LTN/S1531LNG/S1531LN	WV-U1542L/U1532L	WV-S1132/S1131/S1111/S1111	WV-U1142/U1132/U1130	WV-S2051LM/S2051L	WV-S2550L/S2520L	WV-S2531LN/S2531LTN/S2511LN	WV-U2542L/U2540L/U2532L/U2530L	WV-S2131L/S2131/S2130/S2111L/S2110	WV-S2231L/S2211L	WV-U2142L/U2140L/U2132L/U2130L	WV-S3531L	WV-S3511L	WV-S3532LM/S3512LM	WV-S3131L	WV-S3111L	
WJ-NX400 (V4.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	Audio	yes *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	-	yes *23	yes *23	-	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V4.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	Audio	yes *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	-	yes *23	yes *23	-	yes *23	yes *23
WJ-NV200 (V4.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	Audio	yes *23	-	yes *23	-	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	-	yes *23	yes *23	-	yes *23	yes *23
WJ-NV300 (V2.30) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	
	H.265	no	-	no	-	no	-	no	-	no	-	no	-	no	-	no	-	
	Audio *8	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	
WJ-NV200 (V2.60) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	[SPW631]	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	[SPW631]*22	-	[SPW631]*22	-	[SPW631]*22	-	[SPW631]*22	-	[SPW631]*22	-	[SPW631]*22	-	[SPW631]*22	-	[SPW631]*22	[SPW631]*22	
	H.265	no	-	no	-	no	-	no	-	no	-	no	-	no	-	no	-	
	Audio *8	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	-	[SPW631]	[SPW631]	
WJ-ND400K (V6.10) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	
	H.265	no	-	no	-	no	-	no	-	no	-	no	-	no	-	no	-	
	Audio *8	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	yes	-	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	[SP305] *2	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	
	MJPEG	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	-	[SP305] *2	[SP305] *2	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	[SP305]	-	[SP305]	-	[SP305]	-	[SP305]	-	[SP305]	-	[SP305]	-	[SP305]	-	[SP305]	[SP305]	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ camera.
 *2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireless connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different dependo on the "Imaoc capture mode". For details on "Imaoc capture mode", please refer to the operatino instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFN481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SPV781L, SPV781L, SPV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software/WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 camera
 *21 : Runout less than 178h:77m for WV-X6511N
 *22 : Transmission format must be switched from H.265/Frame rate#1 to H.264 by connecting from web browser
 *23 : Supported G.726 32kbps and AAC-LC 64kbps
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).

	Function	WV-SB1131M/SB1111M	WV-SW598/SW598A/SC589/SC588A	WV-SW397/SW397A/SW397B/SC387/SC387A	WV-SW396A/SW395A	WV-SW396/SW395/SC386/SC384	WV-SC385	WV-SPW631L/SPW631L	WV-SPW611L/SPW611	WV-SPW531AL/SPW311AL	WV-SPW532L/SPW312L	WV-SW316L/SW316	WV-SW314	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN310/SPN311/SPN310A/SPN311A
WJ-NX400 (V4.30) *20	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	no	no	no	no	no	no	no	no	no	no	no	no
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes	yes	yes	yes	yes *23	yes *23	yes *23	yes *23	yes	yes	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX300 (V4.30) *20	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	no	no	no	no	no	no	no	no	no	no	no	no
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes	yes	yes	yes	yes *23	yes *23	yes *23	yes *23	yes	yes	yes *23	yes *23	yes *23
WJ-NV200 (V4.30) *20	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	no	no	no	no	no	no	no	no	no	no	no	no
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14 (Discontinued model)	Audio	-	yes *8	yes	yes	yes	yes	yes *23	yes *23	yes *23	yes *23	yes	yes	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	no	no	no	no	no	no	no	no	no	no	no	no
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND400K (V6.10) *14 (Discontinued model)	H.264	-	yes	yes	yes	yes	yes	yes *12	yes *12	yes *12	yes *12	yes	yes	yes *12	yes *12	yes *12
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MPEG4	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	[SC385]*2	[SC385]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	[SC385]	[SC385]	yes	[SP305] *2	[SP305]	[SP305] *2	[SP305] *2	[SP305]	[SP305]	[SP305] *2	[SP305] *2	[SP305] *2
	H.264	-	-	-	[SC385]	[SC385]	yes	-	-	-	-	[SP305]	[SP305]	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	[SC385]	[SC385]	[SC385]	[SC385]	yes	-	-	-	-	-	-	-	-	-

[substitute model] : Register as a substitute model.
 *1 : Only for omnicam PTZ camera.
 *2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireless connection.
 *4 : Displaying 16-9 is not supported on a NDR browser.
 *7 : Support functions are different dependo on the "Imaae capture mode". For details on "Imaae capture mode", please refer to the operatino instructions.
 *8 : Supported G.726 and 32kops.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFN481/WV-SFN480 with WJ-NV200, recording stoo for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SPV781L, SPV781L, SPV481, SPV480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the manaaement software/WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 camera
 *21 : Runoort less than 1780x770 for WV-V6511N
 *22 : Transmission format must be switched from H.265/Partov default#1 to H.264 by connecting from web browser
 *23 : Supported G.726 32kops and AAC-LC 64kops
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).

	Function	WV-SP509	WV-SP508	WV-SP300 series	WV-SP105/SP102	WV-NP502	WV-SF611L/SF631L/SF631LL/SF631LLT	WV-SF631/SF631L/SF631LL	WV-SF311A/SF310A/SF311A/SF310A	WV-SF311/SF310/SF311L/SF310L	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/SF346/SF342	WV-SF330 series	WV-NW5025	WV-SFV130(M)/SFV110(M)	WV-SFV130/SFV110
WJ-NX400 (V4.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	-	-	-	-	-	-	-	-	no	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *8	-	yes	-	yes *8	yes *23	yes *23	yes	yes *8	yes	yes *8	-	yes	yes *8	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V4.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	-	-	-	-	-	-	-	-	no	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *8	-	yes	-	yes *8	yes *23	yes *23	yes	yes *8	yes	yes *8	-	yes	yes *8	yes *23	yes *23
WJ-NV200 (V4.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	-	-	-	-	-	-	-	-	no	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *8	-	yes	-	yes *8	yes *23	yes *23	yes	yes *8	yes	yes *8	-	yes	yes *8	yes *23	yes *23
WJ-NV300 (V2.30) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	-	-	-	-	-	-	-	-	no	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	-	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	yes	-	-	-	-	-	-	-	-	-	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes*12	yes*12	yes*12	yes*12	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	-	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND400K (V6.10) *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	yes	-	-	-	-	-	-	-	-	-	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	-	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	[SP305] *2	[SP102] *2	yes	yes	yes *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	yes	yes *2	[SF335] *2
	MPEG4	-	-	yes	-	-	-	-	-	-	-	-	-	[SF335]	yes	yes	-
	H.264	-	-	yes	yes	yes	-	-	-	-	-	-	-	[SF335]	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	[SP305] *2	[SP305] *2	yes	yes	yes *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335] *2	[SF335]	yes	yes *2	[SF335] *2
	MPEG4	-	-	yes	-	-	-	-	-	-	-	-	-	[SF335]	yes	yes	-
	H.264	-	-	yes	yes	yes	-	-	-	-	-	-	-	[SF335]	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SP305]	-	yes	-	yes	[SF335]	[SF335]	[SF335]	[SF335]	[SF335]	[SF335]	[SF335]	[SF335]	yes	yes	[SF335]

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ camera.
 *2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireless connection.
 *4 : Displaying 16-9 is not supported on a NDR browser.
 *7 : Support functions are different dependo on the "Imaage capture mode". For details on "Imaage capture mode", please refer to the operatino instructions.
 *8 : Supported G.726 and 32kops.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SF481/WV-SF480 recording stoo for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software/WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 camera
 *21 : Runout less than 178h77m for WV-X6511N
 *22 : Transmission format must be switched from H.265/Parten default#1 to H.264 by connecting from web browser
 *23 : Supported G.726 32kops and AAC-LC 64kops
 *24 : Supported image capture sizes are 4K UHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).

	Function	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SW115	WV-SF135/SF132	WV-SW175/SW172/ST165/ST162	WV-SW174W*3	B8-HCM7 series	B8-HCM5 series	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100
WJ-NX400 (V4.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	no	-	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	-	-	-	yes *8	yes *8	yes *8	-	yes (ch1) *8	-
	PTZ	-	-	-	yes	yes	yes *1	yes *1	-	yes	yes
WJ-NX300 (V4.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	no	-	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio	yes *8	-	-	yes *8	yes *8	yes *8	yes *8	yes	yes (ch1) *8	-
WJ-NV200 (V4.30) *20	PTZ	-	-	-	-	-	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	no	-	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14 (Discontinued model)	Audio *8	yes *8	-	-	yes *8	yes *8	yes *8	yes *8	yes	yes (ch1) *8	-
	PTZ	-	-	-	-	-	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	no	-	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	-	-	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	-	-	yes	yes	yes	-	-	yes (ch1)	-
	PTZ	-	-	-	yes	yes	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	yes	-	-	yes	-
WJ-ND400K (V6.10) *14 (Discontinued model)	H.264	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	-	-	yes	yes	yes	-	yes	yes (ch1)	-
	PTZ	-	-	-	yes	yes	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MPEG4	[SF335] *2	[SF335]	[SF102]	[SC385]	[SC385]	yes	yes	-	yes	[GXE500 ch1]
	H.264	-	[SF335]	[SF335]	[SC385]	[SC385]	yes	-	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	[SC385]	[SC385]	yes *1	yes *1	-	yes	[GXE500 ch1]
	Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SF335] *2	[SF335]	[SF335]	[SC385]	[SC385]	yes	yes	-	yes	[GXE500 ch1]
	MPEG4	-	-	-	-	-	yes	-	-	yes	-
	H.264	-	[SF335]	[SF335]	[SC385]	[SC385]	yes	-	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SF335]	-	-	[SC385]	[SC385]	yes	-	-	yes (ch1)	-
	PTZ	-	-	-	[SC385]	[SC385]	yes *1	yes *1	-	yes	[GXE500 ch1]

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ camera.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireless connection.
 *4 : Displaying 16-9 is not supported on a NDR browser.
 *5 : Support functions are different dependo on the "Imaao capture mode". For details on "Imaao capture mode", please refer to the operatino instructions.
 *6 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WV-SF481/WV-SF480 recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SPV781L, SPV781L, SPV481, SPV480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software/WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Runout less than 178h77h for WV-X6511N
 *22 : Transmission format must be switched from H.265/Frame/Default1 to H.264 by connecting from web browser
 *23 : Supported G.726 32kbps and AAC-LC 64kbps
 *24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).

	Function	WW- XB570N/SB530N	WW- X6533LN/S6522LN	WW- X6531N/X6531NS/ X6511N	WW-SUD638	WW-S630N	WW- S6131/S6111/S6130	WW- X4171/M4571L/ X4571LM	WW-X4170	WW- S4550L/S4550LM/ S4150	WW- SFV481/SFV480 *7	WW- SW458/SW458MA/ SF438/SF448E *7	WW- S2570L/S2270L/S1570L	WW- X1070LM	WW- S2570L/S2270L/S1570L	WW- SF781L/SP781L	WW- X1001LM
Direct connection to camera	WW-ASM300 (Ver3.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	-	-	-	yes	yes	yes	yes	-	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	WW-ASM200 (Ver1.00) *24	PTZ	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	-	-	-	yes	yes	yes	-	yes	yes	yes	yes	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	Unverified	yes	yes	yes	-	-	-	yes	yes
	H.264	-	-	yes	yes	yes	yes	-	-	Unverified	yes*17,*18	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	WW-ASM100 (Ver3.00) *5,*14,*24	Audio*8	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG	-	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG4	-	-	-	-	-	-	-	-	Unverified	yes	yes	-	-	-	yes	-
	H.264	-	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	WW-ASC970 (Ver19.00)	Audio*8	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	PTZ	-	-	-	yes*21	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG	-	-	yes	yes	Unverified	Unverified	-	yes	Unverified	yes	yes	-	-	-	yes	-
	MPEG4	-	-	-	-	-	-	-	-	Unverified	yes	yes	-	-	-	yes	-
	H.264	-	-	yes	yes	Unverified	Unverified	-	-	Unverified	yes*17,*19	yes	-	-	-	yes	yes
Direct connection to camera (Discontinued model)	WW-GXD400 (Ver2.21) *6,*14,*20	H.265	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG	-	-	yes	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Discontinued model	BB-HNP17 (Ver4.00)	Audio*9	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	PTZ	-	-	yes	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG	-	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	MPEG4	-	-	-	-	-	-	-	-	Unverified	yes	yes	-	-	-	yes	-
	H.264*25	-	-	-	yes	yes	yes	-	-	Unverified	yes*16	yes	-	-	-	yes	-
Discontinued model	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-
	PTZ	-	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes*22	-
	RTP over HTTP	-	-	-	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-	yes	-

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WW-ASM100 does not support disalvino 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When disalvino H.264 stream of 2092*2092 resolution, please use a 64 bit OS and 4GB or more memory.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WW-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

*24 : Please connect to the camera from the PC browser and change the authentication method from Dioest o Dioest or Basic.

*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

	Function	WV-S1550L
WV-ASM300 (Ver3.04) Direct connection to camera	MPEG	yes
	MPEG4	-
	H.264	yes
	H.265	yes
	Audio*23	yes
	PTZ	-
	RTP over HTTP	yes
WV-ASM200 (Ver1.01) *24 Direct connection to camera (Discontinued model)	MPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Audio*8	-
	PTZ	-
	RTP over HTTP	-
WV-ASM100 (Ver3.00) *5,*14,*24 Direct connection to camera (Discontinued model)	MPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Audio*8	-
	PTZ	-
	RTP over HTTP	-
WV-ASC970 (Ver19.00) Direct connection to camera (Discontinued model)	MPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Audio*8	-
	PTZ	-
	RTP over HTTP	-
WJ-GXD400 (Ver2.21) *6,*14,*20 Direct connection to camera (Discontinued model)	MPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Audio*9	-
	PTZ	-
	RTP over HTTP	-
BB-HNP17 (Ver4.00) Direct connection to camera (Discontinued model)	MPEG	-
	MPEG4	-
	H.264*25	-
	H.265	-
	Audio*8	-
	PTZ	-
	RTP over HTTP	-

	Function	WW-S1531LN/S1531LTN/S1531LNS	WW-S1511LN	WW-U1542L	WW-U1532L	WW-S1132/S1131	WW-S1112/S1111	WW-U1142	WW-U1132/U1130	WW-S2550L/S2250L	WW-S2531LN/S2531LTN	WW-S2511LN	WW-U2542L/U2540L	WW-U2532L/U2530L	WW-S2131L/S2131/S2130/S2231L	WW-S2111L/S2111/S2110/S2211L
WW-ASM300 (Ver3.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
WW-ASM200 (Ver1.00)*24	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	PTZ	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	RTP over HTTP	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	MPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WW-ASM100 (Ver3.00) *5,*14,*24	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	H.265	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
WW-ASC970 (Ver19.00)	Audio*8	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	PTZ	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	RTP over HTTP	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	MPEG	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	H.265	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	Audio*9	yes	yes	-	-	yes	yes	-	-	-	-	yes	yes	-	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Discontinued model	MPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.00)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Discontinued model	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WW-ASM100 does not support disalvino 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WW-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

*24 : Please connect to the camera from the PC browser and change the authentication method from Dioest o Dioest or Basic.

*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

	Function	WW-U2142L/U2140L	WW-U2132L/U2130L	WW-S3531L/S3511L	WW-S3532LM/S3512LM	WW-S3131L/S3111L	WW-SB1131M/SB1111M	WW-SW598/SW598A/SC588/SC588A	WW-SW397/SW397A/SC387/SC387A	WW-SW396/SW395/SC386/SC385/SC384	WW-SPW631L/SPW631L/SPW611L/SPW611	WW-SPW531L/SPW511AL	WW-SPW532L/SPW312L	WW-SPW311LH	WW-SW316L/SW316	WW-SW314		
WW-ASM300 (Ver3.04)	MPEG	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	yes	
	H.264	-	-	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-	-	-	-	-
	Audio*23	-	-	yes	yes	yes	yes	-	yes	yes	-	yes	-	-	-	-	-	-
Direct connection to camera	PTZ	-	-	-	-	-	-	-	yes	yes	-	-	-	yes	yes	-	-	
	RTP over HTTP	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
WW-ASM200 (Ver1.00) *24	H.265	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	RTP over HTTP	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WW-ASM100 (Ver3.00) *5,*14,*24	MPEG4	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.264	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*8	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WW-ASC970 (Ver19.00)	Audio*8	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	RTP over HTTP	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	Audio*9	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Discontinued model	MPEG	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*8	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Discontinued model	PTZ	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	RTP over HTTP	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WW-ASM100 does not support disalvino 16-9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WW-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.
 *24 : Please connect to the camera from the PC browser and change the authentication method from Dioest o Dioest or Basic.
 *25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

	Function	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN310/SPN311/SPN310A/SPN311A	WV-SP509	WV-SP508	WV-SP300 series	WV-SP105/SP102	WV-NP502	WV-SPN611L/SPN631L/SPN611L/SPN631L	WV-SPN531L/SPN531L/SPN531L	WV-SFR811/SFRN310/SFRN311L	WV-SFN311A/SFN310A/SFN311A/SFN310A	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/SF346/SF342	WV-SF330 series
WV-ASM300 (Ver3.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	WV-ASM200 (Ver3.00) *24	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM100 (Ver3.00) *5,*14,*24	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
Direct connection to camera (Discontinued model)	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*9	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
BB-HNP17 (Ver4.00)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	H.264*25	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Discontinued model	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support disalvino 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

*24 : Please connect to the camera from the PC browser and change the authentication method from Dioest o Dioest or Basic.

*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

	Function	WV-NW502S	WV-SFV130(M)/SFV110(M)	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SF135/SF132/SW115	WV-SW175/SW172/ST165/ST162	WV-SW174W	BB-HCM7 series	BB-HCM5 series	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100
WV-ASM300 (Ver3.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	yes	-	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera	Audio*23	yes	yes	yes	yes	-	yes	yes	-	-	yes	yes (ch1)	-
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
WV-ASM200 (Ver1.00) *24	MPEG	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	yes	-	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	yes	yes	yes	yes	-	yes	yes	-	-	yes	yes (ch1)	-
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
WV-ASM100 (Ver3.00) *5,*14,*24	MPEG	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	-
	MPEG4	yes	-	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	yes	yes	yes	yes	-	yes	yes	-	-	-	yes (ch1)	-
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
WV-ASC970 (Ver19.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	yes	-	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	yes	yes	yes	yes	-	yes	yes	-	-	-	yes (ch1)	-
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	yes	-	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	yes	yes
Discontinued model	Audio*9	yes	yes	yes	yes	-	yes	yes	-	-	-	yes (ch1)	-
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	yes	-
BB-HNP17 (Ver4.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	MPEG4	yes	-	-	-	-	-	-	yes	yes	-	yes	-
	H.264*25	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-
Discontinued model	Audio*8	yes	yes	yes	yes	-	yes	yes	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	yes	yes	yes *1	yes *1	-	yes	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support disolavino 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

*24 : Please connect to the camera from the PC browser and change the authentication method from Dioest o Dioest or Basic.

*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

	Function	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-ND200 (Discontinued model)	WJ- HD616/HD716	WJ-HD300 (Discontinued model)
WV-ASM300 (V2.30) Via Recorder	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	yes	yes	yes	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*10	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	VMD	yes	yes	yes	yes	yes	yes	-	-	yes	-
RTP over HTTP	yes	yes	yes	yes	yes	yes	-	-	yes	-	
WV-ASM200 (V5.10) Via Recorder (Discontinued model)	MJPEG	-	-	-	-	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	-	-	-	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	-	-	-	yes	yes	yes	-	-	yes	-	
WV-ASM100 (Ver8.00) Via Recorder (Discontinued model)	MJPEG	-	-	-	-	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	-	-	-	-	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	-	yes	yes	-	-	yes	-
RTP over HTTP	-	-	-	-	yes	yes	-	-	yes	-	
WV-ASM970 (Ver19.00) (Discontinued model)	MJPEG	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	Live/Playback(Receive)	-	-	Live/Playback(Receive)	Playback(Receive)	Playback(Receive)	-	Playback(Receive)	Playback(Receive)	-
	PTZ	yes	-	-	yes	yes	yes	-	-	yes	yes
	VMD	yes	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	yes	-	-	yes	yes	yes	-	-	yes	-	
WJ-GXD400 (Ver2.21) *6 (Discontinued model)	MJPEG	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*9	-	-	-	-	-	Playback(Receive)	-	Playback(Receive)	Playback(Receive)	-
	PTZ	-	-	-	-	-	yes	-	-	yes	yes
	VMD	-	-	-	-	-	yes	-	-	yes	-
RTP over HTTP	-	-	-	-	-	-	-	-	-	-	

Discontinued model might have the function which doesn't work.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and OVGA. Supported maximum bitrate is 8Mbps.
 *8 : Supported only G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *10 : Supported G.726 or AAC.